

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	79	(Generat\$4 with (String\$4 or Ticket\$5 or Token\$4 or \$4Random\$4 or \$4Nonce \$4 or Password\$2 or Pass? phrase\$2 or Secret?code or Secret?word or PIN or Login\$2)) (Generat\$4 with Challeng\$4) (Challeng \$4 with Respons\$4 with Credentia\$4) \$4Authentical\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 19:56
S2	8	(Generat\$4 with (String\$4 or Ticket\$5 or Token\$4 or \$4Random\$4 or \$4Nonce \$4 or Password\$2 or Pass? phrase\$2 or Secret?code or Secret?word or PIN or Login\$2)) (Generat\$4 with Challeng\$4) (Challeng \$4 with Respons\$4 with Credentia\$4) \$4Authentical\$5 (Credentia\$4 with (Date \$4 or Time\$4 or Period\$4 or Delay\$4 or Expir\$6 or Duration\$4) with Session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 19:58
S3	2	S2 @ad< "20031224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 19:59
S4	24	(Generat\$4 with (String\$4 or Ticket\$5 or Token\$4 or \$4Random\$4 or \$4Nonce \$4 or Password\$2 or Pass? phrase\$2 or Secret?code or Secret?word or PIN or Login\$2)) (Generat\$4 with Challeng\$4) (Respons \$4 with Credentia\$4) \$4Authentical\$5 (Credentia\$4 with (Date \$4 or Time\$4 or Period\$4 or Delay\$4 or Expir\$6 or Duration\$4) with Session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:02

S5	4	S4 @ad<"20031224"	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:03
S6	3	(Challeng\$4 Respons\$4). ab. (Generat\$4 same Challeng\$4 same Respons \$4 same Credential\$4) (Generat\$4 with (String\$4 or Ticket\$5 or Token\$4 or \$4Random\$4 or \$4Nonce \$4 or Password\$2 or Pass? phrase\$2 or Secret?code or Secret?word or PIN or Login\$2)) (Generat\$4 same Challeng\$4 same Respons\$4 same Credential \$4) \$4Authenticat\$5 (Credential\$4 with (Date \$4 or Time\$4 or Period\$4 or Delay\$4 or Expir\$6 or Duration\$4) with Session)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:13
S7	5	(Challeng\$4 Respons\$4 Credential\$4).ab. (Generat \$4 same Challeng\$4 same Respons\$4 same Credential \$4) (Generat\$4 with (String\$4 or Ticket\$5 or Token\$4 or \$4Random\$4 or \$4Nonce\$4 or Password \$2 or Pass?phrase\$2 or Secret?code or Secret? word or PIN or Login \$2)) (Generat\$4 same Challeng\$4 same Respons \$4 same Credential\$4) \$4Authenticat\$5 ((Date \$4 or Time\$4 or Period\$4 or Delay\$4 or Expir\$6 or Duration\$4) with Session)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:14
S8	1	S7 @ad<"20031224"	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:15

S9	5	(Challeng\$4 Respons\$4). ab. (Challeng\$4 with Respons\$4 with Credential \$4) (Generat\$4 with (String\$4 or Ticket\$5 or Token\$4 or \$4Random\$4 or \$4Nonce\$4 or Password \$2 or Pass?phrase\$2 or Secret?code or Secret? word or PIN or Login \$2)) (Generat\$4 same Challeng\$4 same Respons \$4 same Credential\$4) \$4Authenticat\$5 ((Date \$4 or Time\$4 or Period\$4 or Delay\$4 or Expir\$6 or Duration\$4) with Session)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:18
S10	1	S9 @ad< "20031224"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:19
S11	1	(Challeng\$4 Respons\$4). ab. (Credential\$4).ti. (Generat\$4 with (String\$4 or Ticket\$5 or Token\$4 or \$4Random\$4 or \$4Nonce \$4 or Password\$2 or Pass? phrase\$2 or Secret?code or Secret?word or PIN or Login\$2)) (Generat\$4 same Challeng\$4 same Respons\$4 same Credential \$4) \$4Authenticat\$5 ((Date\$4 or Time\$4 or Period\$4 or Delay\$4 or Expir\$6 or Duration\$4) with Session)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:20
S12	5	(Challeng\$4 Respons\$4). ab. (Credential\$4).ab. (Generat\$4 with (String\$4 or Ticket\$5 or Token\$4 or \$4Random\$4 or \$4Nonce \$4 or Password\$2 or Pass? phrase\$2 or Secret?code or Secret?word or PIN or Login\$2)) (Generat\$4 same Challeng\$4 same Respons\$4 same Credential \$4) \$4Authenticat\$5 ((Date\$4 or Time\$4 or Period\$4 or Delay\$4 or Expir\$6 or Duration\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:22

		(with Session)				
S13	1	S12 @ad<"20031224"	US-PGPUB; USPAT; USOOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:22
S14	5	(Challeng\$4 Respons\$4). ab. (Credential\$4) (Generat\$4 with (String\$4 or Ticket\$5 or Token\$4 or \$4Random\$4 or \$4Nonce \$4 or Password\$2 or Pass? phrase\$2 or Secret?code or Secret?word or PIN or Login\$2)) (Generat\$4 same Challeng\$4 same Respons\$4 same Credential \$4) \$4Authenticat\$5 ((Date\$4 or Time\$4 or Period\$4 or Delay\$4 or Expir\$6 or Duration\$4) with Session)	US-PGPUB; USPAT; USOOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:23
S15	1	S14 @ad<"20031224"	US-PGPUB; USPAT; USOOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:23
S16	10	(Challeng\$4 with Respons \$4) (Credential\$4).ab. (Generat\$4 with (String\$4 or Ticket\$5 or Token\$4 or \$4Random\$4 or \$4Nonce \$4 or Password\$2 or Pass? phrase\$2 or Secret?code or Secret?word or PIN or Login\$2)) (Generat\$4 same Challeng\$4 same Respons\$4 same Credential \$4) \$4Authenticat\$5 ((Date\$4 or Time\$4 or Period\$4 or Delay\$4 or Expir\$6 or Duration\$4) with Session)	US-PGPUB; USPAT; USOOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:24
S17	3	S16 @ad<"20031224"	US-PGPUB; USPAT; USOOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:25

S18	18	(Challeng\$4 Respons\$4). ab. (Credentia\$4) (General \$4 with (String\$4 or Ticket \$5 or Token\$4 or \$4Random\$4 or \$4Nonce \$4 or Password\$2 or Pass? phrase\$2 or Secret ?code or Secret ?word or PIN or Login\$2)) (Generat\$4 Challeng\$4 Respons\$4 Credentia\$4) \$4Authentical\$5 ((Date \$4 or Time\$4 or Period\$4 or Delay\$4 or Expir\$6 or Duration\$4) with Session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:29
S19	7	S18 @ad< "20031224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:32
S20	50	(Challeng\$4 with Respons \$4) (Credentia\$4).ab. (Generat\$4 with (String\$4 or Ticket\$5 or Token\$4 or \$4Random\$4 or \$4Nonce \$4 or Password\$2 or Pass? phrase\$2 or Secret ?code or Secret ?word or PIN or Login\$2)) (Generat\$4 Challeng\$4 Respons\$4 Credentia\$4) \$4Authentical\$5 ((Date \$4 or Time\$4 or Period\$4 or Delay\$4 or Expir\$6 or Duration\$4) with Session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:39
S21	21	S20 @ad< "20031224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 20:39

S22	24	(US-20050120213-\$ or US-20050071677-\$ or US-20050050328-\$ or US-20050033987-\$ or US-20040003241-\$ or US-20030182551-\$ or US-20030163733-\$ or US-20030061512-\$ or US-20020016777-\$ or US-20030177351-\$ or US-20050138355-\$ or US-20030028763-\$ or US-20040078571-\$ or US-20030084171-\$).did. or (US-7171555-\$ or US-7155607-\$ or US-7085840-\$ or US-7069439-\$ or US-6947725-\$ or US-6535980-\$ or US-5872917-\$ or US-5764890-\$ or US-5491752-\$ or US-7039713-\$).did.	US-PGPUB; USPAT	AND	ON	2008/06/06 20:59
S23	24	S22 @ad< "20031224"	US-PGPUB; USPAT; USOOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 21:00
S24	20	S23 (Challeng\$4 with Respons\$4) (Generat\$4 or creat\$4 or drive\$4 or Derivat\$4) (String\$4 or Ticket\$5 or Token\$4 or \$4Random\$4 or \$4Nonce \$4 or Password\$2 or Pass? phrase\$2 or Secret?code or Secret?word or PIN or Login\$2) Credential\$4 \$4Authenticat\$5 (Date\$4 or Time\$4 or Period\$4 or Delay\$4 or Expir\$6 or Duration\$4) Session (\$4symmetr\$4 or \$4privat \$3 or \$4shar\$3 or mutual \$4 or \$common\$4 or \$4public\$4 or random\$4) key\$2 (Secur\$5 or Protect \$6 or encrypt\$5 or encipher\$5 or scrambl\$5)	US-PGPUB; USPAT; USOOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 21:11

S25	9	(US-20050138355-\$ or US-20050120213-\$ or US-20040078571-\$ or US-20030163733-\$).did. or (US-7171555-\$ or US-7085840-\$ or US-7069439-\$ or US-6947725-\$ or US-5764890-\$).did.	US-PGPUB; USPAT	AND	ON	2008/06/06 21:43
S26	9	S25 (Chalfeng\$4 with Respons\$4) (Generat\$4 or creat\$4 or drive\$4 or Derivat\$4) (String\$4 or Ticket\$5 or Token\$4 or \$4Random\$4 or \$4Nonce \$4 or Password\$2 or Pass? phrase\$2 or Secret?code or Secret?word or PIN or Login\$2) Credentia\$4 \$4Authenticat\$5 (Date\$4 or Time\$4 or Periods\$4 or Delay\$4 or Expir\$6 or Duration\$4) Session (\$4symmetr\$4 or \$4privat \$3 or \$4shar\$3 or mutual \$4 or \$common\$4 or \$4public\$4 or random\$4) key\$2 (Secur\$5 or Protect \$6 or encrypt\$5 or encipher\$5 or scrambl\$5)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 21:43
S27	2	"7069439".pn.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:12
S28	1430	\$4First\$4 \$4Second\$4 (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4Subscrib\$4 or \$4Customer\$4 or \$4host \$3 or \$4station\$2 or \$4devic\$3) \$4Authenticat \$5 \$4Credent\$6 (\$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8) (\$4Challeng\$4 same (\$4Respon\$4 or \$4Replay \$4 or \$4Answer\$4)) (\$4Generat\$4 or \$4Creat \$4 or \$4Produc\$4) (\$4Transmit\$4 or \$4Receiv \$4 or \$4Send\$4 or \$4Transcei\$4 or	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:19

		\$4Connect\$4 or \$4Communicat\$4 or \$4Exchang\$4) (\$4Determin\$4 or \$4Check \$4 or \$4Decid\$4 or Test \$4 or \$4Compar\$4)				
S29	1	WALLACE-LELAND-A\$4.in. O'ROURKE-DAVID-M\$4.in.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:19
S30	4	WALLACE-LELAND-A\$4.in. O'ROURKE-DAVID-M\$4.in.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 22:19
S31	1043	726/5.ccls.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:19
S32	0	S30 @ad< "20031224"	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:19
S33	63	S28 S31	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:19
S34	31	S33 @ad< "20031224"	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:19

S35	12	\$4First\$4 \$4Second\$4 (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4Subscrib\$4 or \$4Customer\$4 or \$4host \$3 or \$4station\$2 or \$4devic\$3) \$4Authenticat \$5 \$4Credent\$6 (\$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8) (\$4Challeng\$4 same (\$4Respon\$4 or \$4Replay \$4 or \$4Answer\$4)) (\$4Generat\$4 or \$4Creat \$4 or \$4Produc\$4) (\$4Transmit\$4 or \$4Receiv \$4 or \$4Send\$4 or \$4Transcei\$4 or \$4Connect\$4 or \$4Communicat\$4 or \$4Exchang\$4) (\$4Determin\$4 or \$4Check \$4 or \$4Decid\$4 or Test \$4 or \$4Compar\$4)	US:PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/06/06 22:19
S36	11	S35 @ad< "20031224"	US:PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:19
S37	673	S28 @ad< "20031224"	US:PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:19
S38	62051	"380".clas. "726".clas. "713".clas.	US:PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 22:19
S39	767	S28 S38	US:PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:19

S40	1430	\$4First\$4 \$4Second\$4 (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4Subscrib\$4 or \$4Customer\$4 or \$4host \$3 or \$4station\$2 or \$4devic\$3) \$4Authenticat \$5 \$4Credent\$6 (\$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8) (\$4Challeng\$4 same (\$4Respon\$4 or \$4Replay \$4 or \$4Answer\$4)) (\$4Generat\$4 or \$4Creat \$4 or \$4Produc\$4) (\$4Transmit\$4 or \$4Receiv \$4 or \$4Send\$4 or \$4Transcei\$4 or \$4Connect\$4 or \$4Communicat\$4 or \$4Exchang\$4) (\$4Determin\$4 or \$4Check \$4 or \$4Decid\$4 or Test \$4 or \$4Compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:19
S41	62051	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 22:19
S42	767	S40 S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20
S43	379	S42 @ad<"20031224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20

S44	1430	\$4First\$4 \$4Second\$4 (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4Subscrib\$4 or \$4Customer\$4 or \$4host \$3 or \$4station\$2 or \$4devic\$3) \$4Authenticat \$5 \$4Credent\$6 (\$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8) (\$4Challeng\$4 same (\$4Respon\$4 or \$4Replay \$4 or \$4Answer\$4)) (\$4Generat\$4 or \$4Creat \$4 or \$4Produc\$4) (\$4Transmit\$4 or \$4Receiv \$4 or \$4Send\$4 or \$4Transcei\$4 or \$4Connect\$4 or \$4Communicat\$4 or \$4Exchang\$4) (\$4Determin\$4 or \$4Check \$4 or \$4Decid\$4 or Test \$4 or \$4Compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20
S45	62051	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 22:20
S46	767	S44 S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20
S47	379	S46 @ad<"20031224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20

S48	1430	\$4First\$4 \$4Second\$4 (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4Subscrib\$4 or \$4Customer\$4 or \$4host \$3 or \$4station\$2 or \$4devic\$3) \$4Authenticat \$5 \$4Credent\$6 (\$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8) (\$4Challeng\$4 same (\$4Respon\$4 or \$4Replay \$4 or \$4Answer\$4)) (\$4Generat\$4 or \$4Creat \$4 or \$4Produc\$4) (\$4Transmit\$4 or \$4Receiv \$4 or \$4Send\$4 or \$4Transcei\$4 or \$4Connect\$4 or \$4Communicat\$4 or \$4Exchang\$4) (\$4Determin\$4 or \$4Check \$4 or \$4Decid\$4 or Test \$4 or \$4Compar\$4)	US:PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20
S49	62051	"380".clas. "726".clas. "713".clas.	US:PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 22:20
S50	767	S48 S49	US:PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20
S51	379	S50 @ad<"20031224"	US:PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20
S52	537	ginter\$4.in.	US:PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20

S53	8	S51 S52	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20
S54	371	S51 not S53	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20
S55	2	((\$4peer\$4.ti. or \$4peer\$4.ti.) S54 \$4peer\$4	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20
S56	2	"5434918".pn.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20
S57	2	"6377691".pn.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:20
S58	236	\$4First\$4 \$4Second\$4 ((\$4Challeng\$4 with (\$4Respon\$4 or \$4Replay \$4 or \$4Answer\$4)) with \$4Credent\$6) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4User\$2 or \$4Subscrib\$4 or \$4Customer\$4 or \$4host \$3 or \$4station\$2 or \$4devic\$3) \$4Authenticat \$5 \$4Credent\$6 (\$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8) (\$4Challeng\$4 (\$4Respon\$4 or \$4Replay \$4 or \$4Answer\$4)) (\$4General\$4 or \$4Creat \$4 or \$4Produc\$4) (\$4Transmit\$4 or \$4Receiv \$4 or \$4Send\$4 or \$4Transcei\$4 or \$4Connect\$4 or	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:21

		\$4Communicat\$4 or \$4Exchang\$4) (\$4Determinat\$4 or \$4Check \$4 or \$4Decid\$4 or Test \$4 or \$4Compar\$4)				
S59	106	\$58 @ad<"20031224"	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:21
S60	0	\$4First\$4 \$4Second\$4 (\$4Challeng\$4 \$4Respon \$4 \$4Credent\$6).ti. (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4Subscrib\$4 or \$4Customer\$4 or \$4host \$3 or \$4station\$2 or \$4devic\$3) \$4Authenticat \$5 \$4Credent\$6 (\$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8) (\$4Challeng\$4 (\$4Respon\$4 or \$4Replay \$4 or \$4Answer\$4)) (\$4Generat\$4 or \$4Creat \$4 or \$4Produc\$4) (\$4Transmit\$4 or \$4Receiv \$4 or \$4Send\$4 or \$4Transcei\$4 or \$4Connect\$4 or \$4Communicat\$4 or \$4Exchang\$4) (\$4Determinat\$4 or \$4Check \$4 or \$4Decid\$4 or Test \$4 or \$4Compar\$4)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:21
S61	17	\$4First\$4 \$4Second\$4 (\$4Challeng\$4 \$4Respon \$4 \$4Credent\$6).ab. (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4Subscrib\$4 or \$4Customer\$4 or \$4host \$3 or \$4station\$2 or \$4devic\$3) \$4Authenticat \$5 \$4Credent\$6 (\$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8) (\$4Challeng\$4 (\$4Respon\$4 or \$4Replay \$4 or \$4Answer\$4)) (\$4Generat\$4 or \$4Creat	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:21

		\$4 or \$4Produc\$4 (\$4Transmit\$4 or \$4Receiv \$4 or \$4Send\$4 or \$4Transcei\$4 or \$4Connected\$4 or \$4Communicat\$4 or \$4Exchang\$4) (\$4Determin\$4 or \$4Check \$4 or \$4Decid\$4 or Test \$4 or \$4Compar\$4)				
S62	17	("5293576").PN. OR ("6535980").URPN.	US_PGPUB; USPAT; USOOR	AND	ON	2008/06/06 22:21
S63	15	S62 @ad<"20031224"	US_PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:21
S64	6	("20020007412" "5872917" "5937065" "6043752" "6377691" "6535980").PN. OR ("7155607").URPN.	US_PGPUB; USPAT; USOOR	AND	ON	2008/06/06 22:21
S65	6	S64 @ad<"20031224"	US_PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:21
S66	6	("20020007412" "5872917" "5937065" "6043752" "6377691" "6535980").PN. OR ("7155607").URPN.	US_PGPUB; USPAT; USOOR	AND	ON	2008/06/06 22:21
S67	6	S66 @ad<"20031224"	US_PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:21
S68	25	(US-20030163733-\$ or US- 20050125663-\$ or US- 20050120213-\$ or US- 20050097362-\$ or US- 20050071677-\$ or US- 20050050328-\$ or US- 20050050323-\$ or US- 20050050322-\$ or US- 20050033987-\$ or US- 20040003241-\$ or US- 20040177047-\$ or US- 20030182551-\$ or US- 20020016777-\$ or US- 20030226017-\$ or US-	US_PGPUB; USPAT	AND	ON	2008/06/06 22:21

		20030061512-\$).did. or (US-7231044-\$ or US-7197568-\$ or US-7171555-\$ or US-6947725-\$ or US-7096204-\$ or US-7085840-\$ or US-7069439-\$ or US-6988250-\$ or US-6826686-\$ or US-7228291-\$ or US-6535980-\$ or US-7155607-\$ or US-6883095-\$ or US-5872917-\$).did.				
S69	25	S68 @ad<"20031224"	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:21
S70	1	10/743796	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/06 22:21
S71	25	(US-20030163733-\$ or US-20050125663-\$ or US-20050120213-\$ or US-20050097362-\$ or US-20050071677-\$ or US-20050050328-\$ or US-20050050323-\$ or US-20050050322-\$ or US-20050033987-\$ or US-20040003241-\$ or US-20040177047-\$ or US-20030182551-\$ or US-20020016777-\$ or US-20030226017-\$ or US-20030061512-\$).did. or (US-7231044-\$ or US-7197568-\$ or US-7171555-\$ or US-6947725-\$ or US-7096204-\$ or US-7085840-\$ or US-7069439-\$ or US-6988250-\$ or US-6826686-\$ or US-7228291-\$ or US-6535980-\$ or US-7155607-\$ or US-6883095-\$ or US-	US_PGPUB; USPAT	AND	ON	2008/06/06 22:21

		5872917-\$).did.				
S72	16	(US-20050120213-\$ or US-20050071677-\$ or US-20050050328-\$ or US-20050033987-\$ or US-20040003241-\$ or US-20030182551-\$ or US-20030163733-\$ or US-20030061512-\$ or US-20020016777-\$).did. or (US-7228291-\$ or US-7171555-\$ or US-7155607-\$ or US-7096204-\$ or US-7085840-\$ or US-7069439-\$ or US-6947725-\$ or US-6535980-\$ or US-5872917-\$).did.	US-PGPUB; USPAT	AND	ON	2008/06/06 22:21
S73	15	(US-20050120213-\$ or US-20050071677-\$ or US-20050050328-\$ or US-20050033987-\$ or US-20040003241-\$ or US-20030182551-\$ or US-20030163733-\$ or US-20030061512-\$ or US-20020016777-\$).did. or (US-7171555-\$ or US-7155607-\$ or US-7085840-\$ or US-7069439-\$ or US-6947725-\$ or US-6535980-\$ or US-5872917-\$).did.	US-PGPUB; USPAT	AND	ON	2008/06/06 22:21

6/7/2008 9:06:56 AM

C:\Documents and Settings\tgergiso\My Documents\EAST\Workspaces\10743796\10743796.wsp